




GHERMANDI S.R.L.



C
A
L
I
B
R
E
R
E
9
5
0
G
N
T




CALIBRATRICE LEVIGATRICE A DUE NASTRI

2-BELT SANDING AND CALIBRATING MACHINE

CALIBREUSE - PONCEUSE A DEUX RUBANS


CALIBRIER UND SCHLEIFMASCHINE MIT 2 SCHLEIFBAENDERN

CALIBER
950
G
1
NT




	930		
	145		15
	90		0,5
	SV 2000 x 950		1
	20 mt. 1"		Ø 280 Sh 50-55
	da 4 a 24 mt. 1"		1600

CALIBER
600
G
1
NT




	610		
	145		10
	90		0,5
	SV 2000 x 630		0,75
	20 mt. 1"		Ø 280 Sh 50-55
	da 4 a 24 mt. 1"		1100

SUPEROLIMPIA
3000




	290		820
	160		7,5
	150		
	SV 2000 x 300		0,5
	17 mt. 1"		
	da 4 a 24 mt. 1"		455

SUPEROLIMPIA
510




	500		820
	100		7,5
	150		
	2000 x 510		0,5
	17 mt. 1"		
	da 4 a 24 mt. 1"		725

CALIBER
300
M
1NT



	290		820
	160		7,5
	50		0,5
	SV 2000x300		0,5
	17 mt. 1"		Ø 96 Sh 80
	da 4 a 24 mt. 1'		560

CALIBER
300
2NT



	290		820
	160		7,5
	50		0,5
	SV 2000 x 300		1
	17 mt. 1"		Ø 200 Sh 65
	da 4 a 24 mt. 1'		1250

**SUPEROLIMPIA 300
+ CALIBER 300**




	290		820
	160		7,5
	50		0,5
	2000x300		0,5
	17 mt. 1"		Ø 96 Sh 80
	da 4 a 24 mt. 1'		560 455

SUPEROLIMPIA 300 + CALIBER 3002 NT




	290		820
	160		7,5
	50		0,5
	2000 x 300		0,5 1
	17 mt. 1"		Ø 200 Sh 65
	da 4 a 24 mt. 1'		1250 560

OLIMPIA 150




	140		820
			2
	150		
	SV 2000x150		
	17 mt. 1"		
			305

OLIMPIA 200




	190		820
	160		4
	150		
	SV 2000x200		0,5
	17 mt. 1"		
	da 4 a 24 mt. 1'		350

CALIBER 300 + SUPPORTO LEVIGATELAI



	290		820
	50		7,5
	160		0,5
	2000x300		0,5
	17 mt. 1"		Ø 96 Sh 80
	da 4 a 24 mt. 1'		580

SUPER 300 + SUPPORTO LEVIGATELAI



	290		820
	160		7,5
	150		
	2000x300		0,5
	17 mt. 1"		
	da 4 a 24 mt. 1'		485


SUPEROLIMPIA



300 SPECIAL

	290		820
	160		7,5
	50		
	2000 x 300		0,5
	17 mt. 1"		Ø 80 Sh 45
	da 4 a 24 mt. 1"		455

DELTA 4L



	200				Ø 150 F 20
			0,7 M 1 T		N 1' 5000 c - 2
					Ø 16
					50
			85		

DINAMICA




	250				
	120		1,5 M 2 T		
	170				
					N 1' 5000 c - 3
			155		9 mt. 1"

MASSIMA



	120				
			2		
					N 1' 10000
			200		



GHERMANDI S.R.L.



CALIBER 950 G

	930		2000x950		MAX. 1015 MIN 870		1
	190		20 mt. 1''		10 15		Ø 280 Sh 65
	90		DA 4 A 25 mt. 1'		0,5		2500