

Sliding Panel Saw

**Heavy-Duty
European Designed
Aluminum Sliding Frame**

CE



P-32

All HOLYTEK sliding panel saws are designed with the latest software and precision CNC machined works. With the utilization of only top quality parts and production, HOLYTEK's saws guarantee a lifetime of high performance and the best accuracy.

HOLYTEK

HOLYTEK SLIDING PANEL SAW


Heavy-Duty Aluminum Sliding Frame Design with Reasonable Price!



▲ **Sliding Panel Saw**
With Mechanical Type Angle & Speed Rotation RPM Setting



▲ **Sliding Panel Saw**
With LED Digital Display Angle & Speed Rotation RPM Indication



Sliding Table

Multi-chamber of sliding table is manufactured by an excellent reputation aluminum supplier in European. Precision in-house, wheel type sliding mechanism and the rail is manufactured from high tensile steel, heat treated and surface is chrome plated for lifetime straightness.


CUTTING DEPTHS

Saw blade diameter	φ 255(10")	φ 305(12")	φ 355(14")
Cutting depths at 90°	0~55 mm (0~2.16 in)	0~80 mm (0~3.15 in)	0~105 mm (0~4.13 in)
Cutting depths at 45°	0~38 mm (0~1.5 in)	0~56 mm (0~2.2 in)	0~73 mm (0~2.87 in)

TECHNICAL SPECIFICATIONS

Sliding table cutting lengths	With or without scoring saw blade
1900 mm (74.8 in)	1800 mm (70.87 in)
2600 mm (102.36 in)	2500 mm (98.53 in)
3200 mm (126 in)	3100 mm (122.05 in)

SPACE REQUIREMENTS



A	Sliding table length	1900, 2600, 3200
B	Cutting width	1000, 1300, 1500
C	Cutting width + 225	
D	Crosscut fence (P-19)	1520
	Crosscut fence (P-26/P-32)	1820
E	Crosscut fence (P-19)	Max. 2730
	Crosscut fence (P-26/P-32)	Max. 2930
	Sliding table length P-32	3525
F	Sliding table length P-26	2935
	Sliding table length P-19	2235
	Sliding table length P-32	3470
G	Sliding table length P-26	2885
	Sliding table length P-19	2155

TECHNICAL DATA, STANDARD AND OPTIONAL EQUIPMENT

Unit: mm

ITEM	MODEL	P-19	P-26	P-32
Rectified cast iron fixed table dimension		570 x 1000	570 x 1000	570 x 1000
Sliding table dimension		380 x 1900	380 x 2600	380 x 3200
Main saw blade ϕ 305 (12")		●	●	●
Main saw blade ϕ 355 (14")		✓	✓	✓
Main saw blade ϕ 400 (16")/ Max.		—	✓	✓
Main saw bore		ϕ 30 (ϕ 25.4)	ϕ 30 (ϕ 25.4)	ϕ 30 (ϕ 25.4)
Max. cutting height with blade at 90°		105	105	105
Max. cutting height with blade at 45°		73	73	73
Main motor power 5hp (3.7kw)		●	—	—
Main motor power 7.5hp (5.5kw)		✓	●	●
Main blade speed		3000 / 4000 / 5000 RPM	3000 / 4000 / 5000 RPM	3000 / 4000 / 5000 RPM
Scoring saw blade ϕ 120		●	●	●
Scoring saw blade bore		ϕ 22	ϕ 22	ϕ 22
Scoring motor power 0.75hp (0.55kw)		●	—	—
Scoring motor power 1hp (0.75kw)		✓	●	●
Scoring blade speed 8000 rpm		●	●	●
Cutting width 1000 mm		●	—	—
Cutting width 1300 mm		—	●	●
Cutting width 1500 mm		—	✓	✓
Cutting width adjustment		Manual	Manual	Manual
Saw table extension 370 mm		●	●	●
Saw table extension 720 mm (CE)		✓	✓	✓
Mitre fence		●	●	●
Blade tilting adjustment		Manual (0° ~45°)	Manual (0° ~45°)	Manual (0° ~45°)
Main saw height adjustment		Manual	Manual	Manual
Scoring saw height adjustment		Manual	Manual	Manual
Scoring saw +/- direction adjustment		Manual	Manual	Manual
Blade tilting angle		Mechanical / Digital display (opt.)	Mechanical / Digital display (opt.)	Mechanical / Digital display (opt.)
Main blade speed		Mechanical / Digital display (opt.)	Mechanical / Digital display (opt.)	Mechanical / Digital display (opt.)
Overhead saw guard		Simple / Luxurious (opt.)	Simple / Luxurious (opt.)	Simple / Luxurious (opt.)
Crosscut fence digital display		✓	✓	✓
Rip fence digital display		✓	✓	✓
Rip clamp		✓	✓	✓
Tool frame		✓	✓	✓
		● (CE)	● (CE)	● (CE)
Dust collection system		Main channel 4", Simple guard ϕ 60, Luxurious 3"		
Crate Measurement	Main crate	2270 x 1300 x 1010	2270 x 1300 x 1010	2270 x 1300 x 1010
	Sliding table length	2030 x 470 x 360	2730 x 470 x 360	3330 x 470 x 360
Machine weight (N.W./G/W)	Main crate	600 / 780 kgs	600 / 780 kgs	600 / 780 kgs
	Sliding table length	103 / 135 kgs	167 / 227 kgs	187 / 247 kgs

* Specifications subject to change without prior notice.

● = Standard ✓ = Additional extras

HOLYTEK

HOLYTEK INDUSTRIAL CORP.

9F-I, NO. 400, SEC. I, CHANG PING RD., TAICHUNG, TAIWAN, R.O.C.

TEL: 886-4-2245-2818 (REP.) FAX: 886-4-2243-6928

E-mail: holytek@ms13.hinet.net

http://www.holytek.com.tw