


Faster. **Safer. More** **flexible.**

woodCommander 5

Software for EDGETEQ S-500




wood**Commander**⁵

wood**Commander**⁵

faster – safer – more flexible

Software for quick selection of processing programs and edging material. For safe and fast acquisition of production parameters and for workpiece-oriented design of machine programs.



faster

- **Fewer clicks** – e.g. by combining parameters
- **Quick program change** due to preview images from the 3D simulation
- Permanent overview window for **quick orientation**
- **Quick overview** thanks to scaled WYSIWYG display
- **Focus** on processing steps
- **Faster input** through pop-up keyboard with word suggestions
- Situation-dependent **display of relevant parameters**
- **Time and cost savings** due to fewer test workpieces
- **High quality** from the **very first workpiece**



safer


- **High operating safety** due to **real 3D workpiece simulation**
- Display of **dimensions directly on the 3D workpiece**
- **Understanding of the processing steps** through simulated effects at the workpiece as well as switchable tool track
- **Automatic checking** of impermissible parameter combinations with suggested solutions – e.g. if the edge is too thick: „Change edge thickness“ or „Deactivate scraper“
- **Setup** with manual adjustments **via QR code**
- **Marking** of unsaved program parameters

more flexible


- **Operator-specific arrangement** of parameters
- **Maximum flexibility** through widgets for programs, edge material ...
- Individual integration of **edge macros** into the program
- **Uniform tool management** via HOMAG tool manager
- **Switching of operating parameters** as required, e.g. joining dimension
- Integrated **user rights management** – e.g. only authorized employees may change programs



The workpiece program with just a few clicks.



3D workpiece simulation with tool track that can be faded in and out.



When the parameter is selected, the dimensioning is displayed on the workpiece.



HOMAG Group AG

info@homag.com
www.homag.com

YOUR SOLUTION